



# NECE

FORMERLY CAPE COD CLEANING SYSTEMS

## INDUSTRIAL STEAMER SHOWROOM

 **menikini**  
dry steam technology



**Electro-Steam**  
ESTABLISHED 1952



# STEAM MASTER 10 KW SH

STEAM GENERATOR - 10 KW  
GENERATORE DI VAPORE - 10 KW



1 output at 10 bar with detergent function  
1 uscita a 10 bar con erogazione detergente



Product Code	KW	Volt-Hz	A
Q80001865	10	208-50/60 3 Phases	28
080006152	10	400-50/60 3 Phases	15
Q80001878	10	480-50/60 3 Phases	13

Specs	Specifiche	measure units unità di misura	Steam Master 10 KW SH
start up time	tempo di attivazione all'uso	min	7
boiler capacity	volume caldaia	liter/gallon	6,6/1,74
boiler material	materiale caldaia	type	AISI 304
boiler power	potenza caldaia	kW	10
steam production	produzione vapore	g/min	260
steam output regulation	regolazione uscita vapore	type	manual
working pressure	pressione di esercizio	bar/psi	10/145
steam temperature in boiler	temperatura vapore in caldaia	°C/°F	185/365
water output	erogazione acqua	yes/no	no
detergent output	erogazione detergente	yes/no	yes
water tank capacity	capacità serbatoio	liter/gallon	11/2,91
unlimited autonomy	autonomia illimitata	yes/no	yes
detergent tank capacity	capacità riserva detergente	liter/gallon	11/2,91
body material	materiale macchina	type	inox
weight net	peso netto	kg/lbs	92/203
dimension	dimensioni macchina	l x p x h cm	72x52x100
packaging dimension	imballo dimensioni	l x p x h cm	85x65x121
packaging weight	imballo peso	kg/lbs	132/291
packaging box	imballo confezione	type	wooden



accessories included for:  
208 V - code Q80001865  
480 V - code Q80001878  
> see table 4

accessories NOT included for:  
400 V - code 080006152  
> see tables 1-2-3-5

accessori inclusi per:  
208 V - code Q80001865  
480 V - code Q80001878  
> vedi tavola 4

accessori NON inclusi per:  
400 V - code 080006152  
> vedi tavole 1-2-3-5





# STEAM MASTER 15-30 / 19,5 / 30 KW SH

## STEAM GENERATOR GENERATORE DI VAPORE



1 output with detergent function  
1 uscita con erogazione detergente



Product Code	KW	Volt-Hz	3
Q80001972	15-30	400-50/60 3 phases	44
Q80001866	19,5	208-50/60 3 phases	53
080006153	19,5	400-50/60 3 phases	27
Q80001885	19,5	480-50/60 3 phases	25
080006154	30	400-50/60 3 phases	44
Q80001886	30	480-50/60 3 phases	40

Specs	Specifiche	measure units unità di misura	Steam Master 15-30 KW SH	Steam Master 19,5 KW SH	Steam Master 30 KW SH
start up time	tempo di attivazione all'uso	min	5,5	8	5,5
boiler capacity	volume caldaia	liter/gallon	16/4,23	16/4,23	16/4,23
boiler material	materiale caldaia	type	AISI 304	AISI 304	AISI 304
boiler power	potenza caldaia	kW	15-30	19,5	30
steam production	produzione vapore	g/min	380-680	480	680
steam output regulation	regolazione uscita vapore	type	manual	manual	manual
working pressure	pressione di esercizio	bar/psi	10,5-11/x152-160	10,5/152	11/160
steam temperature in boiler	temperatura vapore in caldaia	°C/°F	185-190/365-374	185/365	190/374
water output	erogazione acqua	yes/no	no	no	no
detergent output	erogazione detergente	yes/no	yes	yes	yes
water tank capacity	capacità serbatoio	liter/gallon	25/6,60	25/6,60	25/6,60
unlimited autonomy	autonomia illimitata	yes/no	yes	yes	yes
detergent tank capacity	capacità riserva detergente	liter/gallon	5/1,32	5/1,32	5/1,32
body material	materiale macchina	type	inox	inox	inox
weight net	peso netto	kg/lbs	128/282	116/256	128/282
dimension	dimensioni macchina	l x p x h cm	95x49x97	95x49x97	95x49x97
packaging dimension	imballo dimensioni	l x p x h cm	115x61x115	115x61x115	115x61x115
packaging weight	imballo peso	kg/lbs	168,5/372	157/346	168,5/372
packaging box	imballo confezione	type	wooden	wooden	wooden

accessories included for:  
208 V - code Q80001866  
480 V - code Q80001885  
480 V - code Q80001886  
> see table 4

accessories not included for:  
400 V - code Q80001972  
400 V - code 080006153  
400 V - code 080006154  
> see tables 1-2-3-5

accessori inclusi per:  
208 V - code Q80001866  
480 V - code Q80001885  
480 V - code Q80001886  
> vedi tavola 4

accessori non inclusi per:  
400 V - code Q80001972  
400 V - code 080006153  
400 V - code 080006154  
> vedi tavole 1-2-3-5





## **Electro-Steam™ Eagle series brushless conveyor belt cleaning system**

A portable steam generator that produces hot, dry steam vapor at 165psi. That supplies a stationary, conveyor mounted, brushless belt cleaner that breaks down accumulated soils, cleans and sanitizes the belt.

A vacuum system that removes the accumulated soils and moisture, leaving the belt surface clean, sanitized, and dry in a matter of seconds.

## **The Jet System - Manual or Robotic**

Electro-Steam introduces our new Robotic Jet System for automatic safe cleaning of all modular style conveyor belts. The new Robotic Jet System features our powerful 8" Spinner the spins 1250 rpm's, delivering dry vapor steam while continuously rotating to quickly and effectively clean your conveyors hands free!



## **EAG00215, 12 Inch (in) Handheld Belt Cleaner**

Steam gun attachment for cleaning floors, walls, and conveyors that are flat and smooth. While spraying steam across the surface below, the Handheld Belt Cleaner's squeegee strips can be used to mop up wet soils and debris as the attached vacuum simultaneously removes the debris and dries the surface, leaving it clean and sanitized.

## **EAG00236, 19 Gallon (gal) Vacuum**

A powerful wet and dry vacuum added to hands-free portable Eagle Series Brushless Conveyor Belt Cleaners and the handheld gun attachments: Belt Cleaners and Spinners. It simultaneously removes the debris and dries the surface as steam is cleaning and sanitizing the surface. The 19-gallon high quality stainless steel container allows you to work for almost 2 hours before having to emptying the container.





**Electro-*Steam***  
ESTABLISHED 1952

## OPTIONAL EAGLE SERIES STEAM TOOLS AND ACCESSORIES



*While each Eagle Series Dry Steam Cleaner is supplied with a generous accessories package; we have developed many proprietary tools for specific industrial sanitation needs and applications. Custom Belt Cleaning equipment and other custom tools can be designed and built for your unique requirements.*

**Address:** 96 Moore Road, Weymouth, MA 02189

**Phone:** 508-947-0570

**Hours:** Mon-Fri: 8am-4pm