

TECNOVAP

L'ARTE DEL VAPORE

english

STEAM CLEANER

Steam Turbo





Steam



Vacuum

Steam Turbo

kW from 10,8kW to 39 kW

bar 10

Technical features



MyTecnovap connection



Operating pressure 10 bar



Steam pressure regulation



Water mains connection



Water tank



Detergent tank



Automatic water refilling



Detergent injection



Overheated water injection



Vacuum cleaner with induction turbine



Power regulation switch kW



Control panel



Boiler maintenance signal

Steam cleaner with stainless-steel body and boiler, designed for industrial use and able to deliver dry saturated steam at 183° C:

- Equipped with a wet/dry vacuum cleaner with an induction turbine and drainage hose.
- A sturdy structure, a fully electric operation and the compact size allows its a usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with accessories basket, double hose holder, lance holder, cable holder and front 360° swivel wheels with safety brakes.



Applications



Food & Beverage



Mechanical industry



Healthcare



Transport industry



Special applications



Conveyor belt

Technical data

Steam cleaner


Boiler	Stainless-steel AISI 304 with interchangeable heating element						
Body	Stainless-steel AISI 304 BA						
Power supply	V - Hz	3~ 400 - 50 (60Hz on request)					
Boiler output	kW/h	10,8	14,4	18	21,6	28,8	36
Maximum output	kW/h	10,8	17,4	21	21,6	31,8	39
Boiler volume	l	13					
Operating pressure	bar	from 1 to 10					
Water tank	l	14					
Detergent tank	l	14					
Steam production	g/min	291	388	485	582	776	970
	Kg/h	17,5	23	29,1	35	46,5	58
Steam temperature	°C	165 - 183					

Vacuum cleaner

Power output	kW/h	3	
Drum material	-	Stainless-steel AISI 304	
Drum capacity	l	14	43
Air flow	m3/h	320	
Depression	mm	3200	

Various (data referring to the model with 43 liter vacuum cleaner)

Weight	Kg	151
Cable	m	8
Dimensions accessory holders included	cm	H.166 x L.69 x W. 101,6
Packaging	cm	120x80x165
Unit/pallet	pz	1



Features



MyTecnovap app



Control panel



ON/OFF switch
Power regulation switch



Steam outlet
10 bar - 12P



Water mains
connection



Anti-scratch rubber
wheels 360°
with safety brakes



Water tank
14 liters



Detergent tank
14 liters



Vacuum cleaner with
43 liters vacuum drum
and drainage hose



Vacuum cleaner with
14 liters vacuum drum
and drainage hose



Vacuum inlet



Female suction
hose inlet



Water tank
level indicator



Detergent tank
level indicator



Hose holder and
lance holder
(accessories not included)



Hose holder



Accessory basket
and cable holder



Electric plug with 8m cable:
IEC309/16A Mod. 10,8 kW
IEC309/32A Mod. 14,4 - 18 - 21,6 kW
IEC309/63A Mod. 28,8 - 36 kW

Accessories

Steam Turbo can be used with these following accessories:



Geyser 1 · 10bar

Steam



Steam hose
5m - 8m - 10m - 15m



100mm lance



400mm lance



800mm lance



1200mm lance



Lance with window cleaner & diffuser
250mm - 350mm - 450mm



Steam brush with bristles
250mm - 350mm - 450mm
to be connected to the Geyser lance



Steam nozzle



Flat nozzle
L. 10mm



Stainless-steel floor scrubber brush



Flat nozzle w/scraper



Stainless-steel brush T50



Threaded white nylon brush
Ø60mm M8



Round nylon brush
Ø35mm



Square nylon brush
60x60mm



Rectangular nylon brush
100x60mm



Round brass brush
Ø35mm



Square brass brush
60x60mm



Rectangular brass brush
100x60mm



Round stainless-steel brush
Ø35mm



Square stainless-steel brush
60x60mm



Rectangular stainless-steel brush
100x60mm

* spazzolini utilizzabile anche con lance Geyser 2

Accessories

Steam Turbo can be used with these following accessories:

Radames 10bar

Steam/vacuum



Steam/vacuum hose with control panel
4m - 8m - 12m



Extension tubes - 2pcs
L. 480mm



Floor tool L. 375mm



Steam+vacuum industrial brush
L. 530mm



Squeegee/squeegee insert
L. 375mm



Brush/squeegee insert - 2pcs
L. 375mm



Steam+vacuum turbo lance



Stainless-steel upholstery tool

T.e.s.s. 10bar

Light-weight carbon fibre poles. Safety interlock system.

To clean up to **8meters** in height



Initial pole L.950mm with control panel & steam/vacuum hose 6m or 8m



Additional pole L.1250 mm - 5pcs



45° curved carbon fiber connector



Straight carbon fiber connector




90° curved carbon fiber connector



Steam+vacuum triangular brush *

* Possibility of using various Star accessories or, with a special adapter, Radames accessories

Would you like to discover the cleaning possibilities of Steam Turbo?



Need more information?
Don't hesitate to contact us!

 +39 045 67 67 252

 sales@tecnovap.com - info@tecnovap.com

 www.tecnovap.it

Follow us



L'ARTE DEL VAPORE

Tecnovap S.r.l.
Via dei Sassi 1/a, 37026 Pescantina, Verona - Italy